## Message

From: Sloan, Richard [RSloan@mt.gov]

**Sent**: 6/21/2018 3:42:34 PM

To: Cirian, Mike [Cirian.Mike@epa.gov]

CC: Gunnar Emilsson [EmilssonGR@cdmsmith.com]; Balliew, Carolina [Carolina.Balliew@mt.gov]

Subject: FW: CFAC Phase II SAP Record of Modification #2 #3

Attachments: Phase II SAP-Record of Modification No 2.docx; Field Mod #2 Figures and Plates.pdf; Phase II SAP-Record of

Modification No 3.docx; Field Mod #3 Figures and Plate.pdf

## Mike,

The modifications seem to be reasonable.

We might want to confirm that CFAC did not use hex Chrome for water treatment in any non-contact cooling towers. This was common practice in some industrial facilities in the 60s and 70s.

Thank you.

Dick Sloan

From: Laura Jensen [mailto:ljensen@rouxinc.com]

**Sent:** Monday, June 18, 2018 9:52 AM **To:** Cirian, Mike <Cirian.Mike@epa.gov>

**Cc:** 'Gunnar Emilsson' <EmilssonGR@cdmsmith.com>; 'Sanchez, Brian' <sanchez.brian@epa.gov>; 'Berry, David' <Berry.David@epa.gov>; Sloan, Richard <RSloan@mt.gov>; 'John.Stroiazzo@glencore.ca' <John.Stroiazzo@glencore.ca>; Steve Wright - CFAC <swright@cfaluminum.com>; 'Skipper, Sherry' <Skipper.Sherry@epa.gov>; Michael Ritorto

<mritorto@rouxinc.com>; Andrew Baris <abaris@rouxinc.com>

Subject: CFAC Phase II SAP Record of Modification #2 #3

Mr. Cirian,

Roux prepared two Record of Modification forms for additional sampling we would like to perform during the Phase II Site Characterization. Roux will give you a call to discuss these modification forms and the sampling rationale.

Please let us know if you need any additional information or have any questions. If you agree with the attached, please provide your concurrence on the modification request.

Thank you,

Laura

## Laura Jensen, P.G. - NY | Project Hydrogeologist

209 Shafter Street, Islandia, New York 11749 Main: (631) 232-2600 | Direct: (631) 630-2358

Email: Ijensen@rouxinc.com | Website: www.rouxinc.com



California | Illinois | Massachusetts | New Jersey | New York | Texas



## 🚜 Please consider the environment before printing this email

NOTICE: This electronic communication, including any authorized attachments, contains information that may be legally privileged, protected, confidential and/or exempt from disclosure or certain types of use under applicable law. This information is for the sole use of the intended recipient(s). If you are not the intended recipient(s) or the employee or agent responsible for delivery of this message to the intended recipient(s), you are hereby notified that any review, use, disclosure, copying, distribution or the taking of any action in reliance on the contents of this e-mail or any attachments is strictly prohibited. You are further advised that review by an individual other than the intended recipient(s) shall not constitute a waiver of any attorney-client privilege which may apply to this communication. If you have

